

## HULL

- Color - White gel coat hull w/colored inset & waterline
- Structural lamination multi-directional knitted fiberglass w/vinyl ester skin coat
- Stringers – Fiberglass encapsulated full length composite stringers
- Boarding platform, integrated in hull w/telescopic ladder
- Hull Guards - UV-stabilized PVC-guards: anchor, hull and sheer, 316 stainless steel inset on hull side guard
- Fasteners - All exterior fasteners 316 stainless steel
- Bottom Paint – Ablative antifouling (2 coats/black)
- Bilge Pumps – 3 ea. 2000 GPH w/auto/manual switches at helm
- Bonding System - bonding anodes on transom plus rudder, shoe and thruster anodes

## DECK

- Color - White gel coat
- Deck - Molded textured surface in walking & work areas
- Deck - Raised walk-around side decks
- Pass through - transom walk through w/fiddle
- Drains – cockpit
- Cockpit Shower
- Anchor Roller Assembly – Polished Stainless Steel
- Windlass - 1200w controlled at helm & foot controls
- Storage - cockpit deck box w/hinged lid, drain & latch
- Storage - Deck hatch to lazarette w/sealing gasket and gas-assist lifts
- Bow Rails - Deck, 1-1/4", 316 stainless steel bow & stern
- Hand Rails - 1-1/4" 316 stainless steel full length hand rails over pilot house doors and each side of salon roof
- Boat deck Hand Rails - 1-1/4" 316 stainless steel 30" high on salon cabin top and ladder on port side
- Hand Grabs - 316 stainless steel, two forward of pilot house doors
- Hand Grab - 316 stainless steel on transom over swim ladder
- Windows - DIAMOND SEA GLAZE® Powder-coated finish, sliding windows in salon and pilothouse
- Doors - DIAMOND SEA GLAZE® Powder-coated: two sliding pilot house entry and one aft hatch style entry door w/drop sliding window and screen
- Portlights - 8" 316 stainless steel round w/screens in forward cabin trunk (3)
- Cleats - 10" cap rail mounted 316 stainless steel mooring cleats (8)
- Deck Fittings, 316 stainless steel - 2" fuel fill, 1-1/2" water fills (2), 1-1/2" waste suction
- Pennant Staff receiver - in bow rail
- Lazarette Vents polished stainless steel

## PROPULSION / ENGINE ROOM

- Engine - Single Volvo D4-280 @ 3500 rpm's
- Alternator - 150 Amps (12Volt)
- Fuel Filter – 10 micron single stage primary filter w/ 2 micron secondary filter on engine
- Exhaust - 5" horizontal water lift muffler, transom exit
- Propeller – Left Hand, tuned to Class 1 ISO-484 pitch tolerances
- Propeller Shaft - 1.75" SS w/PSS® drip-less shaft seal
- Seawater Strainers - bronze
- Potable Water Pump – 12V variable pressure
- Sound Insulation – Hush kit, 1" barrier silver mylar
- Lights - engine room (2) LED
- Outlet - 110VAC GFCI

## HEATING

- Heating System - Hydronic heat off engine w/three outlets

## GALLEY

- Cooktop - 2-burner propane
- Microwave, Convection – Located on the aft face of the port seat box, fwd end of the galley
- Refrigerator, under counter - AC/DC 4.3cf, Sapele faced
- Countertop – Acrylic solid surface countertop w/covered backsplash & sea rail
- Sink - Stainless steel, single bowl w/ single lever spray extension faucet and soap dispenser
- Cabinets - Sapele flush face frames & drawer faces; doors & drawers are equipped w/push type sea locks
- Storage - Sapele corner cabinet above counter w/smoke lens/sapele door
- Drawers - full extension ball bearing tracks & push locks
- Lights - Overhead, 12VDC LED (4)
- Outlets - 110VAC GFCI protected (2)

## COMPANIONWAY

- Lights- Stair, red LED, at step riser
- Storage locker

## SALON

- Hanging Locker - w/ hooks
- Table – Sapele top w/ Hi/Lo moveable table base
- Speakers – (2) speakers
- Settee - Converts to double berth w/storage under
- Valances - Sapele
- Lights - Overhead, 12VDC LED (4)
- Lights - Stair, red LED at step riser
- Outlets - 110VAC(2), 12VDC/ USB
- Storage Cabinet – Forward salon w/doors

2023 Model Year Standard Equipment [NordicTugs.com](https://www.nordictugs.com)

- Storage Cabinet – Aft salon w/shelf

### PILOT HOUSE

- Helm Seat - adjustable slider w/ foot rests
- Overhead Instrument Console - Sapele, w/12VDC power terminal block - Fusion Stereo & white & red LED lights (2)
- Stereo Speakers (2)
- Engine Control - Volvo electronic single lever throttle/shift
- Engine Monitoring - Volvo 7" LCD digital display panel: water temp, oil pressure, battery volts, tachometer, & fuel burn
- Bow Thruster Control - joystick
- Compass - flush mount
- Windshield wipers - pantograph style, adjustable speed, self-parking w/ washer system (3)
- Fans - 12VDC (2)
- Lights - Overhead, 12VDC LED (2)
- Outlet - 110VAC
- Power Ports - 12VDC/ USB (2)
- Hatch – 20" w/ screen

### MASTER CABIN

- Full size island berth w/ 2 drawers under, innerspring mattress w/ storage underneath berth
- Chain locker forward with access hatch
- Hanging Locker- Lighted w/sapele door
- Lights – Over berth, 12VDC LED w/stainless steel bezel (2)
- Lights - Reading, 12VDC LED over berth (2) in aft of cabin
- Outlet - 110VAC (2), 12VDC/ USB (2) both sided of berth
- Hatch - 22" w/screen
- Hull side cabinet, starboard, w/sapele door
- Sliding sapele entry door

### HEAD COMPARTMENT

- Toilet - TECMA® EasyFit electric fresh water
- Sink - Fiberglass w/ acrylic solid surface counter top and faucet
- Shower - w/seat, curtain & track, textured shower sole
- Cabinet - Vanity w/sliding door
- Cabinet - Medicine
- Mirror - Over sink
- Fixtures - towel ring, bars & toilet paper holder
- Door - Sapele entry w/latch
- Flooring - AMTICO inlays
- Lights - Overhead, LED (2)
- Outlet - 110VAC GFCI

### INTERIOR FINISH AND TRIM

- Upholstery - Choice of materials & colors (TBD)
- Carpet – Color (TBD)
- Cabinet Tops – Laminate w/ Sapele sea rail
- Flush sapele cabinet door and drawer faces
- Valances, Sapele - Salon
- Sapele interior passageway doors and trim
- Overhead – Foam backed vinyl
- Walls - Sapele wainscot paneling & foam backed vinyl upper walls
- Day/Night Shades
- Ocean Air Sky-Screen(s)
- Porthole Covers by Clozure – Color is white

### LAZARETTE

- Gel coated and ventilated
- Storage space
- Steering gear

### STEERING SYSTEM

- Steering System - manual hydraulic
- Rudder and Shoe – Stainless steel w/sacrificial anode
- Rudder port bearing and shaft lip seal
- Tiller Arm - Bronze w/rudder stops
- Helm Wheel – Teak w/stainless steel spokes
- Valves and fittings for autopilot control
- Bow Thruster - SIDE-POWER® SE60/185S-12V, 132lb thrust

### 12V DC ELECTRICAL SYSTEM

- Battery Charger - 50 amp w/3-outputs
- Batteries, Start/Thruster - 12V AGM Group-31 (2) w/boxes, 950 CCA @ 32 degrees
- Batteries, House - 6V AGM deep cycle golf-cart type (2) w/boxes, 220 amp hours
- Breaker Panel, BLUE SEAS 360® - w/LED lights
- Master house bank circuit breaker switched at DC Panel
- Battery parallel switch
- Wire - marine grade tinned copper throughout

### 110V AC ELECTRICAL SYSTEM

- Shore power connection - SMARTPLUG® 30A, w/50' cord, starboard side mid-ship
- Breaker panel - BLUE SEAS® 360 panel 110VAC w/LED lights ELCI main CB w/digital multi-meter
- Inverter/Charger

## NAVIGATION / ELECTRONICS

- Garmin GPSMAP 8612 xsv Display, GMR 18x Radome, AIS 800, VHF 215 Radio w/Antenna, Airmar B744V Bronze Transducer

## SAFETY PACKAGE

- Fire Extinguishers, (1) 5 LB and (2) 2 LB
- High bilge water alarm
- Smoke detector in each cabin & central seating area
- Radar reflector - located in stack
- Horn - Dual Electric
- Light - Anchor, LED, USCG approved
- Lights - Navigation, LED, USCG approved
- NMMA Certification to ABYC Standards
- Canadian Declaration of Conformity

## TANKAGE

- Fuel tank - 205-gallon w/ shut off valves & sight gauge
- Potable Water Tank, Polyethylene - 100-gallon in two tanks w/crossover line and electric level gauge
- Gray Water Tank - 26-gallon in keel w/auto 12VDC pump
- Black Water Tank - 30-gallon in keel, w/deck pump out location
- Tank Monitoring – Analog
- Heater, Water - 6-gallon electric/engine heat

## DIMENSIONS

- Length Overall - 34' 11" / 10.64m (w/bow roller)
- Waterline length – 33' 11"
- Beam - 11' 4" / 3.5m
- Draft - 3' 9" / 1.14m
- Height from - Waterline-top to stack top 10' 0" / 3.05m
- Displacement Weight - 15,700 lbs / 7,127kg
- Headroom - Salon 6' 6" / 1.98m
- Headroom - Forward Cabin 6' 3" / 1.90m
- Headroom - Pilot House 6' 7" / 2.00m

## OWNERS PACKAGE

- Engine & Reduction Gear manuals
- Component owner's manuals
- Nordic Tug Operators Manual
- 10-micron fuel filter element for main engine
- Matched gel coat touch-up kit
- Multi-Bit Screwdriver & stainless steel Deck Fitting Key
- Fenders & docking lines
- Shaft Seal Collar O-Ring Kit

- Container box w/ lid

## OWNERS PACKAGE

- Engine & Reduction Gear manuals
- Component owners manuals

